

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): ~~Mixture~~ A mixture to be introduced as the only material into a container having a dispensing pump sealedly mounted thereon, ~~characterized in that such~~ wherein the mixture comprises at least one low-boiling liquid having a saturated ~~vapour~~ vapor pressure less than 1.00 kg/cm<sup>2</sup> at 15°C and less than 2.8 kg/cm<sup>2</sup> at 37.8°C, and at least a fluid product to be dispensed by said pump.

Claim 2 (Currently Amended): A mixture of at least one low-boiling liquid having a saturated ~~vapour~~ vapor pressure less than 1.00 kg/cm<sup>2</sup> at 15°C and less than 2.8 kg/cm<sup>2</sup> at 37.8°C, and of at least a fluid product to be dispensed by said pump, the mixture being usable as the only material to be introduced into a container on which said pump is sealedly mounted.

Claim 3 (Currently Amended): A container having a dispensing pump sealedly mounted on it, said container ~~containing~~ comprising, as the only material introduced into it, a mixture of at least one low-boiling liquid having a saturated ~~vapour~~ vapor pressure less than 1 Kg/cm<sup>2</sup> at 15°C and less than 2.8 Kg/cm<sup>2</sup> at 37.8°C and of a least a fluid product dispensable by said pump, said low-boiling liquid being used for compensating the volume of the product delivered by said pump and for rebalancing the pressure in the container hermetically sealed by the pump.

Claim 4 (Currently Amended): A process for the preparation of a container of a product dispensable by a delivery pump sealedly mounted on said container, ~~characterized in that~~ wherein only at least one low-boiling liquid having a saturated vapour pressure less than

1.00 kg/cm<sup>2</sup> at 15°C and less than 2.8 Kg/cm<sup>2</sup> at 37.8°C is introduced into said container in addition to said product.

Claim 5 (Currently Amended): ~~Mixture~~ The mixture according to ~~claims 1 to 4,~~  
~~characterized in that it contains~~ claim 1, comprising from 3% to 97% [[b.w.]] by weight of  
said low-boiling liquids.

Claim 6 (Currently Amended): ~~Mixture~~ The mixture according to claim 1, ~~to 5,~~  
~~characterized in that~~ wherein said low-boiling liquid is selected from the group consisting of  
isopentane, isohexane, N-pentane, N-hexane, dichloromethane, monochloropopane, 1-1-  
dichloroethane, 2-chlorobutane, trichloro-fluoro-methane CFC 11, trichloro-trifluoro-ethane  
CF 113, ethyl ether, methylene-dimethylether, dimethoxymethane and acetone.

Claim 7 (New): The mixture according to claim 2, comprising from 3% to 97% by  
weight of said low-boiling liquids.

Claim 8 (New): The container according to claim 3, wherein the mixture comprises  
from 3% to 97% by weight of said low-boiling liquids.

Claim 9 (New): The process according to claim 4, wherein the mixture comprises  
from 3% to 97% by weight of said low-boiling liquids.

Claim 10 (New): The mixture according to claim 2, wherein said low-boiling liquid  
is selected from the group consisting of isopentane, isohexane, N-pentane, N-hexane,  
dichloromethane, monochloropopane, 1-1-dichloroethane, 2-chlorobutane, trichloro-fluoro-

methane CFC 11, trichloro-trifluoro-ethane CFC 113, ethyl ether, methylene-dimethyl ether, dimethoxymethane and acetone.

Claim 11 (New): The container according to claim 3, wherein said low-boiling liquid is selected from the group consisting of isopentane, isohexane, N-pentane, N-hexane, dichloromethane, monochloropopane, 1-1-dichloroethane, 2-chlorobutane, trichloro-fluoro-methane CFC 11, trichloro-trifluoro-ethane CFC 113, ethyl ether, methylene-dimethyl ether, dimethoxymethane and acetone.

Claim 12 (New): The process according to claim 4, wherein said low-boiling liquid is selected from the group consisting of isopentane, isohexane, N-pentane, N-hexane, dichloromethane, monochloropopane, 1-1-dichloroethane, 2-chlorobutane, trichloro-fluoro-methane CFC 11, trichloro-trifluoro-ethane CFC 113, ethyl ether, methylene-dimethyl ether, dimethoxymethane and acetone.